



Adoption of CEQA Initial Study and Mitigated Negative Declaration for Sky Canyon Sewer Extension Project

Joe Broadhead

November 14, 2019


Agenda

- Sky Canyon Sewer Extension Project Overview
- Initial Study and Mitigated Negative Declaration
- Mitigation Measures
- Public Review Summary
- Recommendation




Sky Canyon Sewer Extension Project Overview

- 6,700 feet of 36-inch Sewer Main
- From the intersection of Winchester Road/Hunter Road to the intersection of Sky Canyon Road/Murrieta Hot Springs Road within unincorporated Riverside County
 - Pipeline will cross private property via easement in North portion and then along Sky Canyon Drive to connection within Murrieta Hot Springs Road



Location



Mitigation Measures

Mitigation will be required for three resource areas during construction activities:

- Biological Resources
- Geology/Soils
- Cultural and Tribal Resources

All impacts from the proposed Project are less than significant after mitigation is applied.



Public Review Summary

- 30-day period from August 26, 2019 to September 25, 2019
 - Notice of Intent to Adopt (NOI) posted in Press Enterprise on August 26, 2019
 - IS/MND and NOI were made available for review on EMWD website, administrative offices and area libraries
- Four comment letters were received (South Coast Air Quality Management District, Pechanga Tribe, Rincon Tribe and the State Clearinghouse)
- Necessary changes were incorporated into the final IS/MND
- Responses to comments are included in the final IS/MND

Recommendation

Approve and authorize the following for the Sky Canyon Sewer Extension Project:

- Initial study and mitigated negative declaration (IS/MND);
- Mitigation monitoring and reporting program (MMRP); and
- Filing of the notice of determination and environmental filing fee.



Contact Information

Joe Broadhead
Principal Water Resource Specialist
(951) 928-3777 Ext. 4545

email: broadhej@emwd.org

